




HARMONY
CONFERENCE SERIES




888-993-3757

Sizes Available: Shows available sizes for each table, the number of people it seats, and the min. size room it will fit.

Post Leg




Round




Dimensions	Seats	Minimum Room Size
33.5"	4	9' x 9'
42"	4	9'6" x 9'6"
45.25"	4	10' x 10'

Square




Dimensions	Seats	Minimum Room Size
33.5" x 33.5"	4	9' x 9'
42" x 42"	4	9'6" x 9'6"
45.25" x 45.25"	4	10' x 10'

Square Base




Round




Dimensions	Seats	Minimum Room Size
33.5"	4	9' x 9'

Square



Dimensions	Seats	Minimum Room Size
33.5" x 33.5"	4	9' x 9'

T Base



Rectangle




Dimensions	Seats	Minimum Room Size
35.5" x 71.5"	4	9' x 11'
47.25" x 71.5"	6	9' x 12'
47.25" x 84"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	12' x 22'
45" x 189.75"	16	12' x 24'
45" x 211.5"	18	12' x 26'
45" x 235"	20	12' x 28'
45" x 257.25"	22	12' x 30'

Oval



Dimensions	Seats	Minimum Room Size
33.5" x 69.5"	4	9' x 11'
45.25" x 71.5"	6	9' x 12'
45.25" x 84"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	10' x 22'
45" x 189.75"	16	12' x 24'
45" x 211.5"	18	12' x 26'
45" x 235.5"	20	12' x 28'
45" x 257.25"	22	12' x 30'

Hexagon



Dimensions	Seats	Minimum Room Size
33.5" x 69.5"	4	9' x 11'
45.25" x 71.5"	6	9' x 12'
45.25" x 84"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	10' x 22'
45" x 189.75"	16	12' x 24'
45" x 211.5"	18	12' x 26'

Arc Rectangle



Dimensions	Seats	Minimum Room Size
33.5" x 69.5"	4	9' x 11'
45.25" x 71.5"	6	9' x 12'
45.25" x 84"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	10' x 22'
45" x 189.75"	16	12' x 24'
45" x 211.5"	18	12' x 26'
45" x 235.5"	20	12' x 28'
45" x 257.25"	22	12' x 30'

Boat




Dimensions	Seats	Minimum Room Size
33.5" x 69.5"	4	9' x 11'
45.25" x 71.5"	6	9' x 12'
45.25" x 84"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	10' x 22'
45" x 189.75"	16	12' x 24'
45" x 211.5"	18	12' x 26'
45" x 235.5"	20	12' x 28'
45" x 257.25"	22	12' x 30'

Racetrack




Dimensions	Seats	Minimum Room Size
33.5" x 69.5"	4	9' x 11'
45.25" x 71.5"	6	9' x 12'
45.25" x 84"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	12' x 22'
45" x 189.75"	16	12' x 24'
45" x 211.5"	18	12' x 26'
45" x 235.5"	20	12' x 28'
45" x 257.25"	22	12' x 30'

Arc Boat




Dimensions	Seats	Minimum Room Size
33.5" x 69.5"	4	9' x 11'
45.25" x 71.5"	6	9' x 12'
45.25" x 84"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	10' x 22'
45" x 189.75"	16	12' x 24'
45" x 211.5"	18	12' x 26'
45" x 235.5"	20	12' x 28'
45" x 257.25"	22	12' x 30'

Boval



Dimensions	Seats	Minimum Room Size
33.5" x 69.5"	4	9' x 11'
45.25" x 71.5"	6	9' x 12'
45.25" x 84"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	10' x 22'
45" x 189.75"	16	12' x 24'
45" x 211.5"	18	12' x 26'

Double Base



Rectangle




Dimensions	Seats	Minimum Room Size
35.5" x 59.5"	4	9' x 11'
35.5" x 71.5"	6	9' x 12'
47.25" x 71.5"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	12' x 22'
45" x 192"	16	12' x 24'
45" x 216"	18	12' x 26'
45" x 240"	20	12' x 28'
45" x 264"	22	12' x 30'

Oval




Dimensions	Seats	Minimum Room Size
33.5" x 59.5"	4	9' x 11'
33.5" x 69.5"	6	9' x 12'
45.25" x 71.5"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	10' x 22'
45" x 192"	16	12' x 24'
45" x 216"	18	12' x 26'
45" x 240"	20	12' x 28'
45" x 264"	22	12' x 30'

Hexagon



Dimensions	Seats	Minimum Room Size
33.5" x 59.5"	4	9' x 11'
33.5" x 69.5"	6	9' x 12'
45.25" x 71.5"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	10' x 22'
45" x 192"	16	12' x 24'
45" x 216"	18	12' x 26'

Arc Rectangle



Dimensions	Seats	Minimum Room Size
33.5" x 59.5"	4	9' x 11'
33.5" x 69.5"	6	9' x 12'
45.25" x 71.5"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	12' x 22'
45" x 192"	16	12' x 24'
45" x 216"	18	12' x 26'
45" x 240"	20	12' x 28'
45" x 264"	22	12' x 30'

Boat




Dimensions	Seats	Minimum Room Size
33.5" x 59.5"	4	9' x 11'
33.5" x 69.5"	6	9' x 12'
45.25" x 71.5"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	12' x 22'
45" x 192"	16	12' x 24'
45" x 216"	18	12' x 26'
45" x 240"	20	12' x 28'
45" x 264"	22	12' x 30'

Racetrack




Dimensions	Seats	Minimum Room Size
33.5" x 59.5"	4	9' x 11'
33.5" x 69.5"	6	9' x 12'
45.25" x 71.5"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	12' x 22'
45" x 192"	16	12' x 24'
45" x 216"	18	12' x 26'
45" x 240"	20	12' x 28'
45" x 264"	22	12' x 30'

Arc Boat



Dimensions	Seats	Minimum Room Size
33.5" x 59.5"	4	9' x 11'
33.5" x 69.5"	6	9' x 12'
45.25" x 71.5"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	12' x 22'
45" x 192"	16	12' x 24'
45" x 216"	18	12' x 26'
45" x 240"	20	12' x 28'
45" x 264"	22	12' x 30'

Boval



Dimensions	Seats	Minimum Room Size
33.5" x 59.5"	4	9' x 11'
33.5" x 69.5"	6	9' x 12'
45.25" x 71.5"	6	10' x 12'
45" x 91.5"	8	10' x 14'
45" x 120"	10	10' x 16'
45" x 144"	12	10' x 18'
45" x 165.75"	14	10' x 22'
45" x 192"	16	12' x 24'
45" x 216"	18	12' x 26'

Mix and Match: Choose a top and then choose the right base for you.

Tops




Bases		Additional Support		
<p>Double (Small)</p> <p>Overall Height: 27 5/8" Weight: 81 lbs Feet: Diameter 1" x 15/16" H (adjustable)</p>	<p>Double (Large)</p> <p>Overall Height: 28 3/4" Weight: 81 lbs Feet: Diameter 1" x 15/16" H (adjustable)</p>	<p>Flat Bracket</p> <p>Flat Brackets will be needed on certain size tables for extra support.</p>		
<p>Sizes Available</p> <table border="1"> <tr> <td>16" x 28"</td> <td>23" x 37"</td> </tr> </table>		16" x 28"	23" x 37"	
16" x 28"	23" x 37"			

Bases					
<p>Square</p> <p>Overall Height: 28 3/4" Weight: 55 lbs Feet: Diameter 1" x 15/16" H (adjustable)</p>	<p>Single T</p> <p>Overall Height: 28 5/8" Weight: 20 lbs Feet: Felt Feet (incorporated into base plate height)</p>	<p>Post</p> <p>Overall Height: 28"</p>			
<p>Sizes Available</p> <table border="1"> <tr> <td>24"</td> <td>6" x 24"</td> <td>3"</td> </tr> </table>			24"	6" x 24"	3"
24"	6" x 24"	3"			

Typicals

Boat shaped top with double bases




Dimensions	SKU	Seats	Room Size
46" x 93"	HAR-BOT-46x93-DOU	8	10' x 14'

Rectangle shaped top with double bases



Dimensions	SKU	Seats	Room Size
48" x 95"	HAR-REC-48x95-DOU	8	10' x 14'

Oval shaped top with double bases




Dimensions	SKU	Seats	Room Size
46" x 93"	HAR-OVL-46x93-DOU	6	10' x 14'

Arc rectangle shaped top with double bases




Dimensions	SKU	Seats	Room Size
46" x 93"	HAR-AREC-49x93-DOU	8	10' x 14'

Arc boat shaped top with double bases



Dimensions	SKU	Seats	Room Size
46" x 93"	HAR-ABOT-46x93-DOU	8	10' x 14'

Circle shaped top with post leg



Dimensions	SKU	Seats	Room Size
46"	HAR-RD-46-POST	4	10' x 10'

Typicals

Racetrack shaped top with double bases



Dimensions	SKU	Seats	Room Size
46" x 93"	HAR-RAC-46x93-DOU	8	10' x 14'

Hexagon shaped top with double bases



Dimensions	SKU	Seats	Room Size
46" x 93"	HAR-HEX.IR-46x93-DOU-F1	8	10' x 14'

Boval shaped top with double bases



Dimensions	SKU	Seats	Room Size
46" x 93"	HAR-BOVL-46x93-DOU	8	10' x 14'

Square shaped top with post legs




Dimensions	SKU	Seats	Room Size
46"	HAR-SQ-46-POST-1	4	10' x 10'

Features

Electrical and Data Modules

Power Module can be inserted into any table. A small cut out will be made in the surface of the table top for the module



Available in silver or black



Electric Module Features

- Aluminum housing with beveled edges
- (2) grounded AC outlets, 125V 12A rating
- (1) USB type A charger
- (1) USB type C charger
- (2) RJ45 Ethernet coupler (PoE compatible)
- Min. 9.5ft 14AWG x 3C power cord

Laminate Options for Tops



**Black Oak
(XD-1025)**



**Driftwood
(XD-21)**




**Light Gray
(XD-01)**



**Maple
(XD-08)**



**Sea Salt
(XD-1026)**



**White
(XD-09)**

Base Finishes



Silver

Domestic Laminate Options for Tops *USA Made




Grade 2



**White Cypress
(WA-7976)**



**Asian Night
(WA7949)**



**Linen
(D-427-60)**

Grade 3



**Black Cypress
(U999-ST19)**